

06/13/00



JCS45 U.S. PTO

06-14-00

A

Please type a plus sign (+) inside this box → ☒PTO/SB/05 (12/97)  
Approved for use through 09/30/00. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.63(b))

Attorney Docket No.

000399

Total Pages

First Named Inventor or Application Identifier

Manu Kumar

Express Mail Label No.

EL637983330US

JCS45 U.S. PTO  
06/13/00  
09/592309**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

1. ☒ Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 24]  
(preferred arrangement set forth below)
- Descriptive title of the invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the invention
  - Brief Summary of the invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total Sheets 5]
4. Oath or Declaration [Total Pages ]
- a. ☐ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 17 completed)  
[Note Box 5 below]
  - c. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting  
inventor(s) named in the prior application,  
see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (useable if Box 4b is checked)  
The entire disclosure of the prior application, from which a  
copy of the oath or declaration is supplied under Box 4b,  
is considered as being part of the disclosure of the  
accompanying application and is hereby incorporated by  
reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)
- a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
14. ☐ Small Entity ☐ Statement filed in prior application  
Statement(s) ☐ Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)  
(if foreign priority is claimed)
16. ☐ Other: .....

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation☐ Divisional☐ Continuation-in-part (CIP)

of prior application No: \_\_\_\_\_/\_\_\_\_\_

**18. CORRESPONDENCE ADDRESS**☐ Customer Number or Bar Code Label

23464

or ☒ Correspondence address below

(Insert Customer No. or Attach bar code label here)

NAME

Michael G. Panian

Buchanan Ingersoll, P.C.

ADDRESS

One Oxford Centre

301 Grant Street, 20th Floor

CITY

Pittsburgh

STATE

PA

ZIP CODE

15219

COUNTRY

USA

TELEPHONE

412-562-3743

FAX

412-562-1041

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

ATTORNEY'S DOCKET NO

833 U.S. PTO

Manu Kumar

FILED

June 13, 2000

SHARED WEB BROWSER APPARATUS AND METHOD FOR  
INTERACTIVE COMMUNICATIONS

EXAMINER

Date of deposit June 13, 2000

Tammy L. Styen

(Typed or printed name of person mailing paper or fee)

Tammy Styer

(Signature of person mailing paper or fee)

## **TITLE**

### **SHARED WEB BROWSER APPARATUS AND METHOD FOR INTERACTIVE COMMUNICATIONS**

#### **BACKGROUND OF THE INVENTION**

This application is related to provisional application Serial No. 60/139,430 which was filed on June 14, 1999.

##### **1. Field of the Invention**

The invention relates to a system for conferencing people located in a plurality of remote locations, and more particularly to a shared web browser for collaborating with multiple parties in an Internet-based conference.

##### **2. Description of the Prior Art**

In today's business world it is not uncommon for multiple parties to be simultaneously engaged in a meeting, while all the parties are not at the same location. Modern technology allows people to work together even though they may be located in different offices within a building complex, across town, across the state, across the country or even around the globe.

Typically, this can occur by means of a telephone conference call wherein numerous parties from these differing locations can be interconnected by means of the phone lines so that each party is able to simultaneously converse with the other parties, even though they are in separate locations. The call can either be initiated by one party who then calls all the other parties, or by a central operator, such as one employed by the telephone company, who then individually calls each party to bring them into the conference or "meeting". By itself, phone

conferences offer no way to present any visual data. Even if slides are electronically transmitted beforehand, such as by email, there can be no direct control over what the attendees are viewing at any given time, not to mention the hassles of attendees opening presentations with different versions of software, or not having the software at all.

If it is desired for the people in the individual locations to be able to see the people with whom they are "meeting", a process known as video conferencing can also be available. In addition to the conference call which takes place over the phone lines, video capabilities are also provided. A video camera is positioned so as to view the persons attending the meeting at one location and transmits that image to monitors or televisions which are also available at each of the individual locations. However, it is required that a television monitor be provided for each of the different locations so that a party in one location can view all the people in the differing locations. Thus, for example, if people are meeting in four different locations in a video conferencing mode, each office must have three televisions so as to view all the people in each location. This adds to the complexity and cost of a traditional conference call and also requires numerous hardwiring and other infrastructure support in order to be able to accommodate the electronic equipment necessary for interconnecting the different locations. Video conferencing requires an enormous investment. The investment includes both money to acquire and maintain the expensive equipment (over \$30,000 in most cases), and valuable time, because all attendees still have to congregate to locations with video conferencing equipment.

An advantage to the video conferencing method is that it allows visual presentations to be made to each of the participants, such as displaying documents, graphs and charts, which one of the parties may want all the other parties to view. However, it is again necessary that at least one of the meeting locations where the presentation is originating from provide the video equipment

so as to transmit the images of the documents to the other locations, so that they may be able to view the presentation simultaneously during the meeting. While it may also be possible to send hard copies of each of these documents or presentations to the other locations, such as by mail or facsimile, such documents must be prepared well in advance, nor does this method allow for real-time updating of those documents during the course of the presentation.

In more recent years, the use of the Internet, or World Wide Web, has allowed people all over the world to access documents generally located in one location on the web, such as on a particular web server. A person in one state, for example, may log on to a website, which may have originated from a company across the country in another state, such that this person is able to obtain access to the information through the use of a personal computer and a telephone connection. All a person needs to do is dial into an Internet service provider, such as America On-line, CompuServe or AT&T, and access the particular website on the Internet through a web browser, such as Microsoft Internet Explorer or Netscape Navigator. By entering search criteria while in any of these browsers, such as through a search engine on the web, for example, a person can access and find the website that contains that information on whatever topic the research was directed.

What is needed then is a more cost effective manner by which people from differing locations can interact during the course of a meeting so as to view and update documents in a real time basis.

It is therefore an object of the present invention to provide a conferencing mechanism for people located at numerous locations to be brought together through one medium so that generally simultaneous interactive communications can take place during such a meeting.

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Slit width	1.0	mm
Detector	Photodiode array	
Software	Chromatography	
Hardware	PC/AT	
Manufacturer	Shimadzu	
Model	10A	
Year	1990	
Location	University of Tokyo	
Address	7-3-1 Hongo, Bunkyo-ku, Tokyo 113, Japan	
Phone	03-5684-1111	
Fax	03-5684-1111	
E-mail	shimadzu@shimadzu.co.jp	
Web site	http://www.shimadzu.co.jp	
Notes		

## **SUMMARY OF THE INVENTION**

The above and other objects are attained by the present invention, according to which, briefly stated, an apparatus for interactive communications over a network among participants at a plurality of locations is provided. The apparatus is comprised of a plurality of individual personal computers operatively connected to the network, each of the plurality of computers including means for receiving and displaying information from the network. One of the plurality of computers includes means for transmitting information to each of the other of plurality of computers over the network, wherein the other computers each generally simultaneously display the same information. Preferably, the network is comprised of a World Wide Web or Internet connection and each of the computers or users is "logged into" a particular website for conducting the interactive communications. One of the plurality of computers, which includes the means for transmitting the information, may be referred to as the "presenter" whereas the other of the computers are referred to as the "attendees". The apparatus provides a shared web browser such that each of the computers displays of the attendees are directed to, or follow, the presenter as he or she moves to various web sites, wherein people in various locations across the world may generally simultaneously interact and conduct a meeting with access to documents without having to be physically located in the same place.

The proposed invention pioneers the concept of a shared-browsing environment, whereby people's browsers can be linked together to create a collaborative working environment. The shared-browser interface is a key element of the ability for people to easily and intuitively share information in a way which is natural for them and therefore presents a minimal learning curve for making the transition from an individual browsing environment to a collaborative working environment.





Figure 1 is a schematic representation of a conference being conducted utilizing the shared web browser of the present invention;

Figure 2 is a preferred screen display for the presenter's workstation utilizing the shared web browser of the present invention;

Figure 3 is a preferred screen display for an attendee's workstation during a conference conducted with the shared web browser of the present invention;

Figure 4 is a preferred screen display for a user's list window according to one feature of the present invention;

Figure 5 is a representation of a separate chat window which can be launched for use in the shared web browser of the present invention; and

Figure 6 is a preferred screen display for a microchat feature of the shared web browser of the present invention.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

The present invention provides a shared web browser concept whereby an individual person's Internet browser can be linked together with other people's browsers in disparate locations, to create a collaborative working environment even among a plurality of remote locations as represented in Figure 1. As shown in Figure 1, a presenter 10 in one location, such as Pittsburgh, Pennsylvania, can coordinate with one or more attendees in separate locations, such as a first attendee 13 in San Francisco, California or even off shore attendees 16 in another country around the world. All are interconnected by means of a computer network, such as the Internet 19, and have access to the same visual information by means of the shared web browser 22 of the present invention. It is presently preferred that the shared web browser be used in

conjunction with a conventional telephone conference call 25, but may also be used with audio capabilities over the same Internet connection 19. As a feature of the shared web browser 22 of the present invention, optional text-based conferencing 28, as is described more fully hereinafter, is also available for communications between all users, both the presenter 10 and attendees 13, 16 of the presentation.

The shared browser is a key element of the ability for people to easily and intuitively share information in a more natural manner and therefore presents a minimal learning curve for making the transition from an individual browsing environment, as now occurs, to the collaborative working environment of the present invention. The concept behind the design of the shared web browser interface is to leverage the familiarity and experience that all users on the Internet have, with the functionality of existing web browsers such as Netscape Navigator and Microsoft Internet Explorer. The shared web browser 22 adds additional functionality to the conventional web browsers and transforms those browsers to work as if they are all aware of each other, i.e., when the presenter uses his or her browser to "surf" through the Internet, all the other people who are part of the interactive conference or session (i.e., the attendees) will follow the presenter and therefore be looking at the same information as the presenter. Thus, each of the locations has access to the same information at substantially the same time, and are literally on the same web page.

The present invention is particularly exemplified by categorizing each of the participants or users of the interactive conference into either a presenter or an attendee. Typically only one person or one location acts as the presenter 10 and all the other participants are attendees 13, 16; however, it is possible for the person acting as the presenter to designate one of the other attendees as the presenter, in order that the person or location actually presents or displays

information to all the other members as will be described more fully hereinafter. As shown in Figure 2, the screen display 31 which is before the presenter or conference leader is shown in the shared web browser interface 22. It is to be understood that the items or documents being presented in the main window 34 of the display 31 can be varied according to the actions of the presenter, as more fully described hereinafter, and display shown in Figure 2 is by way of example only. Shown across the top of the screen display 31 is a toolbar 37 having numerous buttons 40-50 which correspond to actions which the presenter 10 may initiate in sharing or presenting information to the other attendees 13, 16. Shown in Figure 2 is the presenter's toolbar 37 which is generated when the browser being used by the presenter is Netscape Navigator. Although it can also be used with Microsoft Internet Explorer, in either case it is important to note that the screen display is very similar to that which originally appears with either Netscape Navigator or Internet Explorer, except for the functions of the specialized buttons 40-50. For example, the back 40, forward 41, home 42 and reload 43 buttons perform substantially the same functions that occur in Netscape Navigator or Internet Explorer. That is, if a person wants to move back or forward between screen displays, to reload the current display or to return to the home location of the interactive website, these buttons perform functions in substantially the same manner as they would with the underlying web browser. However, the remaining buttons that would normally appear with that particular web browser are replaced by the unique button bar interfaces 44-50 for conducting the collaborative presentation, such as those shown in Figure 2.

In a similar fashion, the lower section 60 of the browser toolbar displays the page of content (URL) which is being accessed by the presenter 10 and which is generally simultaneously displayed on each of the attendees' computer monitor displays. Thus, if the presenter 10 wants to

display information from a particular website to each of the attendees, the presenter need merely enter that website location into this lower section 60, press the enter key and the computer monitors for the presenter and each of the attendees will each generally simultaneously display the information contained in that website. Additionally, if the presenter were to activate an embedded link on a particular web site, the attendees would also follow the presenter to that link.

The shared web browser interface 22 that is seen by the attendees 13, 16 in the conference or session looks very similar to the interface for the presenter 10 with the exception that some of the tool bar buttons are removed, disabled or have differing functions. Figure 3 shows the attendee/participants screen display 63 of the shared browser interface. By way of example, the question button 64 on the user's interface allows that user to notify the presenter that he or she has a question.

The unique presenters action buttons will now be described in particular detail as they are shown in Figure 2. The "users" button 44, by being activated by the presenter such as by placing his mouse pointer or other device over this button and clicking on the appropriate mouse button, displays a list of all the users who are currently using the shared browser environment by being logged into the conference or interactive session. Figure 4 is an example of a user's list 66 and typical screen display which results from clicking on the users button, showing simulated attendee names therein. In the screen display of Figure 4 for the "users list" window 66, there are five buttons 70-74 on a toolbar 77 which are shown therein. The "co-star" button 70 allows the presenter 10 to designate one of the other attendees 13, 16 to act as the presenter for the interactive session. To do this, the presenter "clicks" once on one of the attendees names listed 80 to highlight it within the window, and then clicks the "co-star" button 70. That attendee then becomes the presenter ("leader") and the prior presenter is an attendee ("follower"). The

"highlight" button 71 allows the presenter to change the color of any or all of an attendees text messages, which may be supplied as a question to the presenter, so that the presenter can easily distinguish which of the attendees is asking a question at any particular moment. The "ignore" button 73 allows the presenter to block any messages from any one or all of the attendees so as to prevent text messages from interfering with the presentation then going on. Finally, the "dismiss" button 74 terminates the connection of any of the attendees with the interactive session.

Returning back to the presenter's screen display shown in Figure 2 for the interactive shared web browser 22, the "question" or "hand raising" button 45 on the presenter's interface toolbar 37 provides the leader/presenter with a visual indication that one or more participants in the conference has a question. When the question button flashes, by clicking on it the presenter will know which person has a question. The "files" button 46 allows the presenter 10 to manage the documents and links which can be shared within the shared browser environment 22.

Generally the files button 46 is designed to be used for incorporating into the presentation content from the presenter's PC desktop applications, such as a Microsoft PowerPoint presentation which can be then displayed to each of the attendees 13, 16. When the presenter is showing such a PowerPoint presentation within the shared web browser environment, the presenter has the option to make the presentation into a full screen display mode which will affect all the other participants in the conference, such that their displays will show on their full video monitor screen that presentation, by the presenter clicking on the "full screen" button 47 displayed on the shared web browser toolbar 37 shown on his monitor screen display. When in the full screen mode, each persons display can be changed back to that originally presented within the shared web browser 22 by pressing the escape or "ESC" key on the keyboard to exit from the full screen mode.

The "white board" button 48 invokes a shared web browser white board which allows users or attendees to modify or draw an additional figure or annotate information that is being displayed collaboratively. This provides an important advantage over traditional telephone and video conferencing methods in which only what is being displayed on a television screen by a presenter can be viewed without making any additions, revisions or corrections as the meeting progresses. Thus, when a design for a component is being discussed, for example, other attendees can make modifications to the design interactively and on a real-time basis rather than having to provide such changes at a later time. The "chat" button 49 invokes a text based communication interface 83 which is shown in Figure 5. As shown therein, the chat window 83 provides a "sidebar" to the presentation which is visible to each of the attendees in the conference. As can be seen, this chat window 83 is added to the user's list screen display 66 or window shown in Figure 4. The "exit" button 50 allows the presenter 10 to terminate the session and thereby cause all the participants and attendees to leave the conference or interactive session, as they are "logged out" of the shared web browser 22.

Various other buttons on the presenter's screen also permit information to be simultaneously displayed on each of the other attendee's computers. For example, clicking on a company logo 86 next to the exit button 50 causes the home page of the particular company's website which has initiated the presentation to be displayed as the information content for all the members of the session. Clicking on the iMeet logo 89 displays the iMeet home page as the content for each of the attendees. (By way of explanation "iMeet" is the trade name that the assignee of the present invention has used to designate its shared web browser interface and iMeet.com is the accessing website.) The shared web browser 22 of the present invention also includes a separate component referred to as "microchat" 92, as shown in Figure 6. The

microchat interface allows each participant to type a note in the location/message space. Any text typed in this space shows up as a message from the particular user in a space 95 labeled "Events". If the presenter/leader types a website or URL in the location/message space 92, this will cause all the participants or attendees to follow the leader to that URL website page.

The "bookmarks" lists 98 allows the presenter 10 to invoke any preset URLs or presentations into the conference for all the attendees to use. The "new window" check box 101 launches the content into a new shared web browser window.

In order to conduct a live presentation with anyone, anywhere in the world, each of the prospective users 10, 13, 16 is notified by the presentation leader or presenter 10. This can be done by any of presently available means such as phone message, letter or, preferably, an automated electronic mail message (email). Email has the advantage of also providing an embedded link to the conference within the shared web browser, along with appropriate identification or information for gaining access to the presentation. Such information may include date and time of the presentation, phone number for establishing a telephone conference in conjunction with the presentation, as well as a unique confirmation number or code for participation in the conference.

Prior to the actual presentation, the presenter can prepare the information which is to be generally simultaneously displayed to all the attendees through the shared web browser 22. The information can comprise, for example, a Microsoft PowerPoint presentation, which can be uploaded into the shared web browser, documents generated in a word processing application, or even links to websites on the World Wide Web, which will cause that information to be displayed on the computer monitors of each of the "logged in" attendees. The shared web

browser of the present invention automatically converts the information and presentation into a web format for display.

At the designated time for the presentation, each attendee accesses the iMeet.com website and logs into the conference, by inputting the attendees name and entering the confirmation number. The Internet browser in use by the attendee is thereby automatically converted into the shared web browser of the present invention. Regardless of the underlying web browser used by the participants, the screen display is transformed such that while the browser interface looks quite similar, the appropriate button bars of the shared web browser of the present invention are displayed. The users that have been invited to attend the presentation can thereafter view on their individual computer monitors the presentation to be conducted by the leader, since their screen displays are effectively under the control of the presenter.

Once all the attendees are logged into the conference, their Internet browsers are automatically transformed into the shared web browser of the present invention, which allows the presenter to substantially simultaneously display the desired information on each user's computer monitor. Though it is preferred that the present invention be used in conjunction with a conventional telephone conference call, the shared web browser also includes the MicroChat feature which allows attendees to directly communicate with text. The full featured chat window is also available for more text intensive conference. The shared web browser of the present invention also permits attendees to pose questions to the presenter with little or no interruption of the presentation to the other attendees. The presenter thereby has the ability to lead the attendees on a "tour" of any website or information on the Internet simply by "surfing the web" as if he/she were using a conventional web browser. The attendees' browsers remain in sync with the presenter.





The present invention offers anytime, anywhere presentations. All each user needs is a computer with a browser. No more global travel to give and attend presentations - just go to your computer and log on. The savings in time, cost and energy are tremendous. It is flexible, displaying whatever one is working on to the people who really need to see it, whether it is a sales presentation of a company's software to a group of bankers in Zurich, or the formula for a new drug that is being developed in conjunction with teams in Boston and San Francisco.

The shared web browser interface can be implemented using two unique methods: Java-applet implementation and plug-in implementation, as described more fully herein.

#### **Java-applet Implementation:**

In this implementation, the shared web browser controls and toolbars are implemented as a Java applet. JavaScript is used to launch the native web browser (such as Netscape or Internet Explorer) with its own toolbars hidden. The browser then loads up a document which contains HTML frames to describe its content. The top frame references a Java-applet. This Java applet is specifically designed to provide the shared browser interface and functionally described above. The Java applet opens a connection to the shared web browser server which is used to manage the interaction between the multiple users within the shared browser environment. Preferably, this host server comprises Bersama technology, which is an industrial-strength client/server infrastructure for building collaborative applications and was developed by the assignee of the present invention. Bersama supports message passing among clients who are registered with a central server. The Bersama client is a lightweight Java class that abstracts away the complexities of low-level socket programming, while remaining a high-performance interface for sending data to the Bersama server and other Bersama clients. When the leader/presenter enters a URL into the Java applet, the applet sends a message to the Bersama server which then

broadcasts the location entered by the leader to all the other applets in the same session. Each applet then displays the content of the same page thereby keeping all the users/attendees in sync. In order to detect further clicks on the HTML content itself, all the links in the page are redirected to go through a servlet which can intercept the link selected by the leader and then forward that information through the Bersama server to all of the applets connected to it, thereby maintaining the invariant that all the users are on the same page.

### **Plug-in Implementation:**

In this implementation, the functionality of the native web browser is enhanced by providing a plug-in application such as an ActiveX control for Internet Explorer or a plug-in for Netscape Navigator. The plug-in taps into the browser's internals to keep track of what is the current information being displayed in the browser. It then broadcasts this information to all of the other browsers that are in the same conference/session. This implementation allows the shared web browsers to function in a peer to peer mode, without requiring a central server. The additional functionality provided by this plug-in or ActiveX control makes it possible for any user to become the host for the browser conference.

While specific embodiments of the invention have been described in detail, it will be appreciated by those skilled in the art that various modifications and alternatives to those details could be developed in light of the overall teachings of the disclosure. The description of the shared web browser interface herein is provided as a sample of the interface only and is subject to modifications and improvements. The shared web browser interface of the present invention is a unique and novel approach to bringing highly usable groupware and conferencing to users of the Internet. Accordingly, the particular arrangements disclosed are meant to be illustrative only

and not limiting to the scope of the invention which is to be given the full breadth of the following claims, and any and all embodiments thereof.

CLAIMS:

1. Apparatus for interactive communications over a network among participants at a plurality of locations, the apparatus comprising:

a plurality of computers operatively connected to the network;  
each of said plurality of computers including means for receiving and displaying information from the network; and  
one of said plurality of computers having means for transmitting information to each of the other of said plurality of computers over the network, wherein said other computers each generally simultaneously displays the same information.

2. The apparatus as recited in claim 1, wherein the network comprises the Internet.

3. The apparatus as recited in claim 1, wherein said means for receiving and displaying information from the network comprises a web browser.

4. The apparatus as recited in claim 1, wherein said means for transmitting information to each of the other of said plurality from the one of said plurality of computers comprises a presenter interface, the presenter interface further comprising means for communicating with each of the other of said plurality of computers and for causing information to be generally simultaneously displayed on said other computers.

5. A method of conducting a collaborative presentation among a plurality of participants situated at two or more locations, wherein each of said participants has a computer operatively connected to a computer network, the method comprising:

- a) providing a website on the computer network for said participants to obtain access to the collaborative presentation;
- b) sending a message to each of said plurality of participants, the message providing an identifier means for accessing the collaborative presentation;
- c) providing information to be displayed on each of said participants' computers during the collaborative presentation;
- d) accessing the website according to the identifier means; and
- e) initiating the collaborative presentation by one of said plurality of participants presenting the information on the one of said participant's computers, wherein the computer of each of the other of said plurality of participants generally simultaneously displays the information.

6. The method of conducting a collaborative presentation among a plurality of participants as recited in claim 5, further including the step of initiating a telephone conference call while conducting the collaborative presentation.

7. The method of conducting a collaborative presentation among a plurality of participants as recited in claim 5, wherein said identifier means comprises one or more of a confirmation number, and a scheduled date and time for accessing the collaborative presentation.

8. A method of conducting a collaborative presentation among a plurality of participants situated at two or more locations, wherein each of said participants has a computer operatively connected to a computer network, the method comprising:

- a) providing a website on the computer network for said participants to obtain access to the collaborative presentation;
- b) providing information to be displayed on each of said participants' computers during the collaborative presentation;
- c) providing means for said participants to access the website; and
- e) initiating the collaborative presentation by one of said plurality of participants presenting the information on the one of said participant's computers, wherein the computer of each of the other of said plurality of participants generally simultaneously displays the information.

9. A method of conducting a conference among a plurality of participants situated at two or more locations over a computer network, the method comprising:

- a) providing a website on the computer network;
- b) providing means for said participants to access the website via a computer having a display;
- c) providing a browser interface for conducting the conference; and
- d) operably connecting each said participants computers such that the display of each of said participants generally simultaneously displays the browser interface.

10. The method as recited in claim 9 further including the step of categorizing said participants into one of a presenter participant or an attendee participant, such that the presenter participants' computer controls each of said attendee participants computers via the browser interface.

11. An apparatus for conducting a conference among a plurality of participants situated at two or more locations over a computer network, the apparatus comprising:

- a) a website having a server computer on the computer network;
- b) means for said participants to access the website via a computer having a display;
- c) a browser interface for conducting the conference; and
- d) means for operably connecting each of said participants computers such that the display of each of said participants generally simultaneously displays the browser interface.



## ABSTRACT

A shared web browser for simultaneously linking together a plurality of remote locations to deliver live presentations to anyone, anywhere in the world. The web browser can be used either by itself, or in conjunction with a conventional telephone conference call. A personal computer at each location is linked together by means of an Internet connection, wherein one of those computers controls the information displayed on each of the other computers; this is the presenter's function. Each of the other users or participants are referred to as attendees, and the presenter directs information to be displayed on the monitors of all the participants in the conference. The shared web browser of the present invention works within conventional Internet browsers, eliminating the need for the purchase of or training in the use of expensive video conferencing equipment.

## REFERENCE LIST

10	presenter
13	attendee
16	attendee
19	Internet
22	shared web browser
25	conference call
28	text-based conferencing
31	presenter screen display
34	main window
37	toolbar
40	back
41	forward
42	home
43	reload
44	users
45	question
46	files
47	full screen
48	whiteboard
49	chat
50	exit
60	lower section
63	attendees screen display
66	user's list screen display
70	co-star button
71	highlight button
72	question button
73	ignore button
74	dismiss button
77	user's list toolbar
80	attendee's list
83	text-based communication interface
86	logo
89	iMeet logo
92	microchat
95	events space
98	bookmarks
101	new window check box

006T50" 60626560




FIG. 1

005923 6026560




FIG. 2

34

00552309-061300

63 64


iMeet.com On-Line Conference - Netscape

File Edit View Go Home Mail News iMeet.com Help

Back Forward Home Reload Stop Open Location Close Print

Address: http://www.immeet.com/

Bookmarks New Window Message



TM  
iMeet

# Welcome to iMeet.com


[Click here](#)  
Welcome to iMeet.com! en

[Description](#) [Demo](#) [Pricing](#) [Sign-Up](#) [Contact](#)

**Schedule**

**Present**

**Attend**



iMeet.com  
by  
SneakerLabs, Inc.  
www.sneakerlabs.com

**What is iMeet.com?**  
iMeet.com allows you to conduct *live* presentations on the Web, where the presenter controls what the audience sees!

**Who uses it?**  
Anyone who ever needed to be able to *show* information instead of describing it in words. Professionals, business people, road-warriors, Web site developers,... you!

**Why iMeet.com?**  
It's simple. It's affordable. And it works.

**When and Where?**  
*Anytime, Anywhere!* All you need is a browser and a Net connection.

**How do I get started?**  
Take a quick [demo](#) or [sign up](#) now!

**Sign-Up Now!!**

**Today @ iMeet.com**

**FREE! FREE! FREE!**  
Yes! You may use all the services offered by iMeet.com during our beta period for **FREE!** And better yet, users that sign up during the free beta period will receive a 10% discount on all iMeet.com services for one month once we go live. Sign up today!!

**Access to iMeet.com**

SneakerLabs, Inc. aims to provide innovative and affordable ways for people to collaborate and interact with each other over the Internet. We leverage the pervasive and ubiquitous nature of the Internet to bring together geographically dispersed

FIG. 3



92


**Welcome to**  
**iMeet.com**

[Description](#)
[Demo](#)
[Pricing](#)
[Sign-Up](#)
[Contact](#)

**Schedule**

**Present**

**Attend**

**What is iMeet.com?**

iMeet.com allows you to conduct *live* presentations on the Web, where the presenter controls what the audience sees!

**Who uses it?**

Anyone who ever needed to be able to *show* information instead of describing it in words. Professionals, business people, road-warriors, Web site developers,... you!

**Why iMeet.com?**

It's simple. It's affordable. And it works.

**When and Where?**

*Anytime, Anywhere!* All you need is a browser and a Net connection.

**How do I get started?**

Take a quick demo or sign up now!

**Today @ iMeet.com**

I Meet @ iMeet.com!  
 The iMeet.com referral program will debut as soon as iMeet.com goes live (non-beta)! If a new user lists your account name in the "Where did you hear about iMeet.com?" section of the sign up form, both of you will receive a FREE conference on iMeet.com!


**iMeet.com**  
 by  
**SneakerLabs, Inc.**  
[www.sneakerlabs.com](http://www.sneakerlabs.com)

About SneakerLabs, Inc.  
 SneakerLabs, Inc. aims to provide innovative and affordable ways for people to collaborate and interact with each other over the Internet. We leverage the pervasive and ubiquitous nature of the Internet to bring together geographically dispersed

**Sign-Up Now!!**

RIG. 6